

AI and Machine Learning in Animal Disease Detection: Benefits, Labor Reduction, and Ethical Considerations

Kamal Gulati

Author's Affiliation:

Associate Professor, Amity University, Noida, Uttar Pradesh, India

Corresponding Author:

Kamal Gulati,

Associate Professor, Amity University, Noida, Uttar Pradesh, India

E-mail: drkamalgulati@gmail.com,
<https://orcid.org/0000-0002-1186-1426>

ABSTRACT

AI and ML are revolutionizing veterinary medicine, offering precision diagnostics, early disease detection, and proactive animal care. This review examines the applications of AI-powered technologies in detecting and managing diseases in livestock and companion animals. In recent years, convolutional neural networks (CNNs) such as VGG16 and MobileNetV2 have been shown to have high diagnostic accuracy in certain veterinary imaging and disease-detection applications. These systems can detect subtle pathological patterns and aid in the early diagnosis of diseases like bovine respiratory disease and canine disorders. In addition to imaging, AI-powered wearable and Internet of Things (IoT) devices track physiological and behavioral metrics such as body temperature, heart rate, and movement, allowing for the early detection of health abnormalities. Predictive analytics also combines environmental, animal-movement and historical health data to aid in disease surveillance and outbreak prediction. AI-driven technologies can also enhance the efficiency of veterinary operations by automating image analysis, initial assessment, and decision-making processes, thereby alleviating repetitive tasks. But they come with algorithmic bias, small and unrepresentative datasets, data privacy, model interpretability, and suitable human oversight challenges. Standardized validation, multiple data sets, clear algorithms, secure data governance, and ongoing veterinary oversight are essential for responsible adoption. In summary, AI and ML can be a powerful tool for improving animal health, welfare, diagnostic efficiency, and disease surveillance, provided they are used responsibly.

KEYWORDS: Artificial Intelligence, Veterinary Diagnostics, Deep Learning, Precision Livestock Farming, Ethical AI, Predictive Analytics

Received on 21.02.2026, Revised on 08.04.2026, Accepted on 26.05.2026

How to cite this article: Gulati K. (2026). AI and Machine Learning in Animal Disease Detection: Benefits, Labor Reduction, and Ethical Considerations. *Bio-Science Research Bulletin*, 42(1), 42-55.

INTRODUCTION

The rapid advancements in Artificial Intelligence and Machine Learning have transformed various industries, including

veterinary medicine and animal healthcare. Early disease detection in animals is critical for ensuring livestock productivity, pet health, and public safety, particularly as zoonotic diseases

pose risks to both animals and humans. Traditional veterinary diagnostic techniques can be labor-intensive, expensive, and time-consuming because they mainly rely on expert evaluation, laboratory testing, and manual examinations (Xiao et al., 2025). The adoption of AI-powered technology in disease diagnosis, monitoring, and prediction is a result of the global desire for effective and automated solutions.

Modern veterinary AI builds upon three key computational paradigms: supervised learning for classification tasks (e.g., disease detection), unsupervised learning for pattern discovery in unlabeled data (e.g., behavioral clustering), and reinforcement learning for optimizing treatment protocols. The backpropagation algorithm remains fundamental to training these networks, while contemporary architectures like Transformers (Vaswani et al., 2017) are now being adapted for multimodal veterinary data analysis."

Machine Learning (ML), a subset of artificial intelligence (AI), enables systems to learn patterns from data without explicit programming, iteratively improving performance through algorithms like decision trees and support vector machines (Samuel, 1959). Its evolution paved the way for Deep Learning (DL), a paradigm inspired by the human brain's neural networks (Rosenblatt, 1958). DL leverages hierarchical layers of artificial neurons to autonomously extract features from complex data, with Convolutional Neural Networks (CNNs) emerging as a breakthrough for image analysis. Yann LeCun's pioneering work on CNNs (LeCun et al., 1998) demonstrated their efficacy in detecting spatial hierarchies in visual data, later refined into architectures like VGG (Simonyan & Zisserman, 2015) and MobileNet (Howard et al., 2017). These models, pretrained on large datasets (e.g., ImageNet), are now adapted through transfer learning for veterinary diagnostics, enabling high-accuracy disease detection even with limited animal-specific data (Senthilkumar et al., 2024).

AI-based tools, such as deep learning models, IoT-powered monitoring devices, and predictive

analytics, are transforming how animal diseases are detected and managed. Convolutional Neural Networks (CNNs) are widely used in veterinary imaging to analyze X-rays, MRI scans, and ultrasound images for disease identification (Kittichai et al., 2025). Similarly, AI-driven wearable sensors and smart monitoring devices continuously track an animal's vital signs, identifying potential illnesses before clinical symptoms appear (Kaur & Virk, 2025). These advancements help in reducing manual labor, improving diagnostic accuracy, and minimizing disease outbreaks in farms and households.

As AI continues to reshape veterinary healthcare, it is important to critically evaluate both its benefits and limitations. While AI-driven disease detection reduces human workload and enhances diagnostic efficiency, concerns about over-reliance on technology, biases in AI models, and data privacy risks remain significant challenges. Additionally, ethical considerations arise regarding the extent to which AI should replace traditional veterinary expertise (Jeong et al., 2024). The purpose of this review is to examine the integration of Artificial Intelligence (AI) and Machine Learning (ML) in animal disease detection, with a focus on its effectiveness, impact on labor reduction, and ethical considerations. As veterinary medicine faces increasing challenges due to the growing livestock industry, rising pet ownership, and the threat of zoonotic diseases, AI-driven diagnostic tools offer innovative solutions to improve disease detection, monitoring, and management.

This review aims to:

- Assess the effectiveness of AI in disease detection by exploring key advancements such as deep learning algorithms, convolutional neural networks (CNNs), and AI-powered imaging techniques. These technologies have demonstrated high diagnostic accuracy in identifying conditions like bovine respiratory disease, canine cardiomegaly, and avian influenza.
- Analyze the role of AI in reducing human labor in veterinary healthcare. By automating tasks such as diagnostic imaging analysis, predictive

disease modeling, and real-time livestock monitoring, AI reduces the workload for veterinarians and farmworkers, enabling faster and more efficient disease detection.

- Evaluate ethical and practical challenges associated with AI adoption in veterinary medicine. This includes concerns related to AI model biases, over-reliance on technology, data security risks, and the potential displacement of human expertise.
- Discuss future implications and recommendations for ensuring that AI supports, rather than replaces, veterinary professionals. Enhancing algorithm transparency, improving dataset diversity, and ensuring ethical AI implementation are key considerations for future advancements.

By addressing these aspects, this review provides a comprehensive understanding of AI's transformative role in veterinary diagnostics, while also critically evaluating its limitations and areas for improvement.

The integration of Artificial Intelligence (AI) and Machine Learning (ML) in veterinary medicine relies on several foundational concepts that enhance disease detection and diagnostic accuracy. AI refers to the ability of machines to simulate human intelligence, allowing them to perform tasks such as pattern recognition, decision-making, and problem-solving. Machine Learning (ML), a subset of AI, enables systems to learn from data without explicit programming, improving their predictive accuracy over time (Samuel, 1959). Among ML models, Neural Networks—inspired by the structure of the human brain—are particularly effective in medical imaging and disease detection (Rosenblatt, 1958). Neural-network-based methods have demonstrated promising performance in selected veterinary disease-detection and diagnostic imaging applications, although performance varies according to the disease, dataset, imaging modality, and validation setting. (LeCun et al., 1998).

Beyond image processing, Predictive Analytics in veterinary medicine uses AI-driven statistical models to analyze historical health records and environmental factors to forecast disease outbreaks, reducing response times in epidemic

situations. Additionally, the Internet of Things (IoT) integrates smart devices, such as AI-powered collars and biosensors, to collect and transmit real-time physiological data, aiding in early disease detection and continuous health monitoring of livestock and pets. While these technologies offer significant advancements, concerns about AI bias, where models may underperform due to imbalanced training datasets, pose challenges for widespread adoption. Similarly, data privacy and security remain critical, as AI systems collect vast amounts of sensitive animal health information, necessitating robust encryption and ethical AI governance (Tene & Polonetsky, 2013). These key concepts form the foundation for understanding AI's role in modern veterinary diagnostics and its implications for animal health management (Surekha et al., 2024)

This review is guided by the central research question:

"How essential is AI, particularly neural networks, in improving the accuracy, efficiency, and accessibility of disease detection in veterinary medicine?"

Artificial Intelligence (AI) and Machine Learning (ML) have emerged as transformative technologies in veterinary medicine, enabling more accurate and rapid disease detection. Traditional diagnostic methods rely on visual inspections, laboratory tests, and expert evaluations, which can be time-consuming and labor-intensive (Xiao et al., 2025). AI, particularly neural networks such as Convolutional Neural Networks (CNNs), has significantly enhanced diagnostic precision by automating medical image analysis, detecting fractures, tumors, and infections in radiographs with higher accuracy than human experts (LeCun et al., 1998). Furthermore, predictive analytics allows AI to analyze large datasets, forecast disease outbreaks, and optimize treatment plans based on historical animal health data.

AI also improves efficiency by reducing manual labor in veterinary healthcare. IoT-based monitoring systems equipped with AI-driven sensors continuously track vital signs, enabling early disease detection and reducing the need

for frequent veterinary visits (Kaur & Virk, 2025). AI-powered chatbots and virtual assistants further alleviate clinical workloads by providing pet owners and farmers with instant disease assessment and preliminary diagnostic support (Ayyaswamy et al., 2025). However, despite these advantages, ethical concerns remain, particularly regarding AI bias, data privacy, and over-reliance on automated systems (Jeong et al., 2024). By evaluating the effectiveness, labor reduction benefits, and

ethical considerations of AI-driven veterinary diagnostics, this review aims to provide a comprehensive understanding of how AI enhances disease detection while addressing its challenges and limitations. A comparison of traditional and AI-based veterinary diagnostics is presented in Table 1. The findings will contribute to ongoing discussions on how to balance AI adoption with human expertise to ensure responsible and efficient veterinary healthcare.

Table 1: Comparison of Traditional vs. AI-Based Veterinary Diagnostics

Criteria	Traditional Diagnostics	AI-Based Diagnostics
Accuracy	Moderate (~70%)	High (~90-95%)
Time Required	Slow (Manual Testing)	Fast (Automated Analysis)
Cost	High (Lab Costs)	Lower (Reduced Testing)
Scalability	Limited (Dependent on Vets)	High (Remote AI Usage)
Automation Level	Low (Human Expertise Required)	High (AI-Assisted Decision Making)

LITERATURE REVIEW

Artificial Intelligence (AI) and Machine Learning (ML) have emerged as transformative tools in veterinary medicine, especially for early disease detection. This literature review synthesizes recent advancements in applying deep learning, computer vision, and ML algorithms for diagnosing diseases in cattle, poultry, and other livestock. The choice of loss functions - particularly focal loss (Lin et al., 2017) for class-imbalanced datasets - has proven critical in achieving high sensitivity for rare conditions

AI in Veterinary Disease Detection

The use of Artificial Intelligence (AI) and Machine Learning (ML) in veterinary medicine has significantly enhanced disease detection by improving diagnostic accuracy, speed, and efficiency. AI applications in veterinary diagnostics primarily focus on medical imaging, real-time monitoring, and predictive analytics. Deep learning models, particularly Convolutional Neural Networks (CNNs), have been instrumental in analyzing radiographs,

ultrasound images, and MRI scans, detecting fractures, tumors, and infections in radiographs with higher accuracy than human experts (LeCun et al., 1998). A study by Lalitha and Yeturi (2024) reported an accuracy of 86% for deep learning-based canine cardiomegaly assessment using vertebral heart scale prediction., outperforming experienced radiologists in early-stage detection (Lalitha & Yeturi, 2024). Similarly, Prosser et al. (2025) reported that Prosser et al. (2025) reviewed applications of AI and ML for bovine respiratory disease prevention, diagnosis, and classification, highlighting their potential for improving early detection and decision support.

Senthilkumar et al. (2024) conducted a comprehensive comparative analysis of ten pretrained deep learning models for the early detection of Lumpy Skin Disease (LSD) in cattle. Utilizing transfer learning, the authors fine-tuned architectures such as VGG16, MobileNetV2, ResNet152V2, and EfficientNetV2S on two diverse datasets of cattle images, which included healthy subjects, LSD-affected animals, and cases of other skin

diseases to ensure specificity. The study emphasized rigorous preprocessing (e.g., resizing to 256×256 pixels) and augmentation techniques (flips, rotations, shear transformations) to enhance model generalizability. VGG16 and MobileNetV2 emerged as top performers, achieving accuracies of 96.07% and 96.39%, respectively, with high sensitivity (93.75–98.57%) and specificity (94.59–97.14%), critical for minimizing false negatives in contagious disease detection. The Adam optimizer (learning rate: 0.001) and a batch size of 32 were identified as optimal hyperparameters. Notably, MobileNetV2's lightweight design demonstrated its suitability for resource-constrained environments, while VGG16's robustness across datasets underscored its clinical utility. However, the study revealed limitations in models like EfficientNetV2S (accuracy: 75.49%), attributed to inadequate adaptation to veterinary imaging contexts. These findings highlight the importance of model selection, dataset diversity, and hyperparameter tuning in AI-driven veterinary diagnostics (Senthilkumar et al., 2024).

Similarly, AlZubi (2024) integrated CNNs with biosensor data and visual inspections to identify LSD in cattle. The study highlighted the impact of environmental factors, such as housing and nutrition, on disease occurrence. The CNN model achieved 73.89% accuracy, showing promise but also revealing the need for further improvement in data integration (AlZubi, 2024).

Bushby et al. (2024) investigated the potential of sensor-based feeding, movement, and social behavior data in predicting BRD in pre-weaned calves. Using a gradient boosting machine classification algorithm, the study achieved moderate-to-high performance (accuracy: 77.3%, specificity: 87.2%). Movement-based features, such as the distance walked per day, were the most predictive, whereas feeding and social behaviors played a lesser role (Bushby et al., 2024).

Beyond imaging, AI has been integrated into IoT-based smart monitoring devices to track animal health in real time. Kaur and Virk (2025) highlighted the effectiveness of AI-powered wearable sensors, which continuously monitor vital signs such as body temperature, heart rate,

and movement patterns to detect early signs of illness. Additionally, AI-based sound analysis has been used to identify respiratory diseases in livestock by detecting changes in coughing patterns, further enhancing disease surveillance capabilities (Peravali et al., 2025). These advancements allow for proactive disease management, reducing mortality rates and improving overall animal welfare (Panda et al., 2024).

Role of AI in Predictive Analytics for Disease Outbreaks

Predictive analytics, powered by machine learning algorithms, has revolutionized veterinary epidemiology by enabling early detection and prevention of disease outbreaks. AI models analyze historical animal health data, environmental factors, and genetic predispositions to predict the likelihood of disease occurrence. Burić et al. (2025) demonstrated that an AI-driven model successfully predicted avian influenza outbreaks two weeks in advance, allowing for timely intervention and disease control measures (Burić & Ivasic-Kos, 2025). Similarly, AI has been used to track foot-and-mouth disease, where machine learning algorithms processed climate patterns and livestock movement data to forecast potential outbreak zones (Jeong et al., 2024).

Another significant application is AI-assisted risk assessment in zoonotic disease transmission. As zoonotic diseases pose global health risks, AI models have been developed to analyze host-pathogen interactions and cross-species transmission probabilities. According to McDonald et al. (2024), AI models integrating genomic sequencing data and environmental variables have improved the prediction accuracy of zoonotic spillover events, assisting in global disease surveillance efforts.

AI in poultry disease detection is also gaining importance, particularly through computer vision and CNN based models. (Mbelwa et al. (2021) proposed a deep learning approach using CNNs to classify chicken diseases based on images of droppings. Their study compared custom CNNs with pretrained models like XceptionNet, demonstrating that transfer learning improved classification accuracy. XceptionNet achieved a validation accuracy of

94%, outperforming fully trained CNNs (93.67%) (Mbelwa et al., 2021).

Another study by Kalita et al. (2025) explored the broader application of AI in poultry disease detection, emphasizing the role of ML and CNNs in automating diagnosis. The research highlighted the potential of AI in reducing reliance on expert assessments, thereby improving efficiency in poultry farming (Kalita et al., 2025).

Baruah & Boruah, 2024 developed AI models for diagnosing canine Babesia infection from microscopic red blood cell images. They tested a custom CNN, VGG16, DenseNet121, and a hybrid DenseNet121-SVM model. The ensemble model combining these approaches achieved the highest accuracy (97.75%), proving the effectiveness of deep learning in microscopic disease detection (Baruah & Boruah, 2024).

The incorporation of AI in disease forecasting not only improves preparedness but also reduces the economic burden on the livestock industry by minimizing disease spread and associated losses. However, model accuracy remains dependent on data quality, requiring continuous updates and validation to ensure reliable predictions (Alshammari et al., 2025).

AI-Based Veterinary Imaging and Diagnostics

Advancements in AI-powered medical imaging have significantly improved the precision of radiology, ultrasound, and CT scan analysis in veterinary medicine. Convolutional Neural Networks (CNNs), trained on extensive datasets, can identify subtle pathological changes in radiographs that might be missed by human specialists. (Alshammari et al., 2025) reported that an AI-powered X-ray analysis system detected early-stage arthritis in horses with 92% precision, offering veterinarians a more reliable diagnostic tool. Similarly, Hennessey et al. (2022) reported that artificial intelligence has applications in veterinary diagnostic imaging (Arthi & Eswaramurthy, 2024; Dharamjit et al., 2024).

Studies have analyzed the broader impact of AI on animal healthcare. Das et al. (2024) provided a comprehensive review of ML applications in animal healthcare, covering various diseases

and diagnostic techniques. They emphasized the need for robust datasets and advanced AI techniques to improve accuracy (Das et al., 2024). Kumar et al. (2023) reviewed deep learning approaches for detecting animals in video data, highlighting the challenges of dataset availability and model adaptability. The study emphasized the role of CNNs and transfer learning in enhancing real-time animal monitoring (Kumar et al., 2023).

A 2024 pilot in Dutch dairy farms implemented real-time lameness detection using CNN-based gait analysis, reducing severe cases by 42% (Russello et al., 2024). Similarly, the USDA's AI-powered poultry inspection system now processes 140 birds/minute with 98.9% accuracy, (U.S. Department of Agriculture, 2023) demonstrating scalability. AI-based respiratory disease monitoring in cattle may help facilitate earlier disease detection and timely intervention (Kittichai et al., 2025).

Despite these advancements, challenges such as data standardization and model generalizability persist. AI models often rely on training datasets from specific breeds or regions, which may lead to biased diagnostic outcomes when applied to diverse populations. Addressing this issue requires more diverse and representative datasets to improve the reliability of AI-driven diagnostics across all animal species (Jeong et al., 2024).

AI in Veterinary Chatbots and Decision-Support Systems

AI-driven chatbots and virtual assistants have emerged as valuable tools in veterinary telemedicine, providing pet owners and farmers with preliminary health assessments and reducing unnecessary veterinary visits. These chatbots use natural language processing (NLP) and symptom-based diagnostic models to offer real-time disease risk analysis and treatment recommendations (Ayyaswamy et al., 2025).

For instance, AI-powered veterinary chatbots have reduced clinic workloads by 30%, as they assist pet owners in identifying mild conditions that do not require immediate veterinary intervention (Ayyaswamy et al., 2025). Additionally, AI decision-support systems are increasingly used in clinical settings, where they

assist veterinarians in diagnostic decision-making by cross-referencing symptoms with extensive medical databases. (McDonald et al., 2024) found that AI-based decision-support tools improved diagnostic accuracy in small animal clinics by 25%, particularly in complex cases requiring differential diagnosis.

However, while AI-driven chatbots and decision-support systems provide valuable assistance, they cannot fully replace human expertise. Veterinary professionals must validate AI-generated diagnoses before prescribing treatments, ensuring clinical judgment remains central to patient care (Jeong et al., 2024).

Challenges and Limitations of AI in Veterinary Medicine

The lack of high-quality annotated medical datasets across species remains a challenge for the development of veterinary artificial intelligence (AI) applications. While human medicine benefits from comprehensive repositories like CheXpert (Irvin et al., 2019), veterinary equivalents are far more limited in scope. Research by Ferrara (2024) found that 91% of veterinary AI studies focused on livestock and companion animals, whereas zoological applications accounted for less than 2% of published work. Another challenge is annotation reliability; veterinary image labeling shows significantly lower inter-rater reliability (Bouhali et al., 2022) compared to human

medical imaging standards (Rajpurkar et al., 2022).

While AI has significantly advanced veterinary diagnostics, several challenges remain:

1. AI Bias and Data Limitations

AI models often exhibit biases due to limited dataset diversity, affecting diagnostic accuracy across different breeds and species (Jeong et al., 2024). Training datasets must be expanded to ensure equitable AI performance across various animal populations.

2. Ethical and Legal Concerns

AI-driven diagnostic tools raise ethical questions regarding liability in veterinary practice. If an AI system misdiagnoses an animal, determining responsibility remains a legal gray area (Tene & Polonetsky, 2013).

3. Over-Reliance on AI vs. Human Expertise

Excessive reliance on AI may reduce critical thinking and diagnostic skills among veterinarians. AI should function as an assistive tool rather than a replacement for human expertise (McDonald et al., 2024).

4. Data Privacy and Security Risks

AI-driven livestock monitoring systems collect large volumes of sensitive farm data. Ensuring secure storage and AI ethics usage is crucial to prevent data breaches and misuse (Tene & Polonetsky, 2013).




Figure 1: Role of AI in veterinary medicine. The Venn diagram illustrates three major applications: medical imaging, predictive analytics, and smart monitoring.

IMPLICATIONS AND SIGNIFICANCE

The integration of Artificial Intelligence (AI) and Machine Learning (ML) in animal disease detection is transforming veterinary medicine by enhancing diagnostic accuracy, efficiency, and real-time monitoring. The widespread adoption of AI-based tools has significant implications for livestock management, pet healthcare, veterinary labor reduction, and disease outbreak prevention. This section explores the broader impact of AI in veterinary medicine, emphasizing its significance in improving disease detection, reducing human workload, economic benefits, animal welfare enhancement, and ethical considerations.

Advancing Diagnostic Accuracy and Early Disease Detection

One of the most profound impacts of AI in veterinary medicine is its ability to improve diagnostic accuracy. Traditional veterinary diagnostics rely heavily on human expertise, laboratory testing, and physical examinations, which can sometimes lead to misdiagnoses, delays, or subjective interpretations (McDonald et al., 2024). AI-powered technologies, particularly Convolutional Neural Networks (CNNs), have demonstrated remarkable success in detecting diseases in animals by analyzing medical images, blood samples, and physiological data.

For instance, AI-driven radiographic analysis has significantly enhanced the detection of orthopedic conditions in animals. Alshammari et al. (2025) reported that AI-powered X-ray interpretation identified early-stage arthritis in horses with 92% precision, outperforming manual radiographic analysis. Similarly, AI-assisted ultrasound imaging has improved tumor diagnosis in pets, achieving 85% accuracy in identifying malignancies (Hennessey et al., 2022). These advancements allow veterinarians to detect diseases at earlier stages, increasing the likelihood of successful treatment and reducing mortality rates.

Furthermore, real-time health monitoring through AI-powered wearable sensors and IoT devices has transformed disease detection in

livestock farming. Smart collars and biosensors continuously track body temperature, heart rate, respiration patterns, and movement, helping to detect abnormalities before clinical symptoms appear (Kaur & Virk, 2025). This proactive approach enables timely interventions, reducing economic losses associated with livestock diseases and ensuring better herd management (Panda et al., 2024).

Reduction of Veterinary Labor and Operational Efficiency

AI has also played a critical role in reducing the manual workload in veterinary healthcare. The shortage of skilled veterinarians, especially in rural and remote areas, has made it challenging to provide timely animal healthcare services. AI-driven tools address this issue by automating routine diagnostic procedures, reducing the need for constant human supervision.

For example, AI-powered chatbots and virtual assistants have proven beneficial for pet owners and livestock farmers, providing preliminary disease assessments and basic veterinary advice without requiring a physical clinic visit (Ayyaswamy et al., 2025). AI chatbots may help reduce routine clinical workload by providing preliminary information to pet owners and livestock farmers, allowing veterinarians to focus on more complex cases.

In addition, AI-driven predictive analytics models assist veterinarians in forecasting disease outbreaks, thereby reducing emergency workload and allowing for more strategic resource allocation (Burić & Ivašić-Kos, 2025). This predictive approach optimizes vaccination programs, treatment plans, and farm biosecurity protocols, making veterinary operations more cost-effective and efficient.

Economic Impact: Cost Reduction and Increased Productivity

The economic implications of AI in animal healthcare are profound, particularly in livestock farming and veterinary clinics. Disease outbreaks in large-scale farms can lead to substantial financial losses due to increased mortality, reduced productivity, and higher

treatment costs. AI-powered disease surveillance systems minimize these losses by early detection and timely intervention.

For instance, AI-based respiratory disease monitoring in cattle may help facilitate earlier disease detection and timely intervention (Kittichai et al., 2025). Similarly, AI-driven feeding optimization systems adjust livestock nutrition based on real-time health data, leading to better weight gain, improved milk production, and higher fertility rates. These improvements significantly enhance farm profitability.

Veterinary clinics have also reported reduced operational costs with the integration of AI-driven diagnostic tools and automated record-keeping systems. AI minimizes the need for extensive laboratory testing, as machine learning models can accurately analyze blood samples, detect parasites, and identify infections through digital scanning rather than expensive lab procedures (Jeong et al., 2024).

Enhancing Animal Welfare and Ethical Considerations

The use of AI in veterinary medicine has significant ethical implications, particularly concerning animal welfare, humane disease management, and AI-driven decision-making. Early disease detection through AI not only improves treatment outcomes but also reduces the suffering of animals by preventing severe disease progression.

AI-powered monitoring tools, such as IoT-based collars and biosensors, ensure that farm animals receive continuous health supervision, reducing the risk of undetected illnesses and unnecessary suffering (Peravali et al., 2025). Additionally, AI-driven precision livestock farming allows farmers to provide personalized healthcare to individual animals rather than using broad-spectrum antibiotics or mass treatments, thereby minimizing antibiotic resistance and improving overall herd health (McDonald et al., 2024).

However, ethical concerns arise regarding over-reliance on AI in decision-making. Veterinary professionals must ensure that AI remains an assistive tool rather than a replacement for human expertise (Jeong et al., 2024). While AI can provide highly accurate diagnoses, veterinarians must validate AI-generated results before making critical treatment decisions. This balance is necessary to maintain clinical accountability and patient safety.

Another ethical concern is data privacy and security. AI-driven livestock monitoring systems collect large amounts of farm data, raising concerns about who owns and controls this information. Unauthorized access to sensitive health data could lead to economic and biosecurity risks for farmers. Ensuring secure AI implementation and ethical data governance is crucial for maintaining trust in AI applications in veterinary medicine (Tene & Polonetsky, 2013). The major ethical concerns and challenges associated with AI adoption in veterinary medicine are summarized in Figure 2.



Figure 2: Ethical concerns and challenges associated with AI adoption in veterinary medicine.

The Future of AI in Veterinary Medicine

Next-generation systems are exploring federated learning (Konečný et al., 2016) for privacy-preserving multi-institutional collaboration, while quantum machine learning (Biamonte et al., 2017) may eventually enable complex molecular-level diagnostics. The development of veterinary-specific foundation models, pretrained on diverse animal health data, represents a critical research priority (LeCun, 2022).

To maximize AI's potential in veterinary healthcare, future developments should focus on improving transparency, reducing biases, and making AI tools more accessible. Some key recommendations include:

- **Enhancing Algorithm Transparency:** AI models should be explainable and interpretable, allowing veterinarians to understand how decisions are made rather than treating AI as a "black box."
- **Improving Dataset Diversity:** AI training datasets should include a wide variety of breeds, species, and geographic conditions to ensure equitable diagnostic accuracy across all animals.
- **Ensuring Ethical AI Integration:** AI should function as an assistive tool rather than replacing veterinary professionals. AI-driven diagnostics should always be accompanied by human validation.
- **Strengthening Data Privacy Regulations:** Blockchain technology could be integrated to secure farm health data, ensuring privacy, transparency, and data ownership protection for livestock farmers.
- **Increasing AI Accessibility for Small-Scale Farmers:** While large farms benefit from AI-driven disease detection systems, small-scale farmers often lack access to these tools. Affordable AI solutions must be developed to ensure wider adoption in animal healthcare.

CONCLUSION

The incorporation of Artificial Intelligence (AI) and Machine Learning (ML) in veterinary medicine has significantly advanced disease detection, diagnosis, and management. These

technologies have enhanced diagnostic precision, optimized veterinary workflows, and improved disease surveillance in both companion animals and livestock. By utilizing deep learning algorithms, IoT-based health monitoring, and predictive analytics, AI enables early detection of diseases, reducing the risk of outbreaks and improving animal health outcomes. AI-driven approaches provide veterinarians with faster and more reliable diagnostic tools, addressing challenges associated with manual examinations, laboratory testing, and limited veterinary accessibility in remote regions.

Among the most impactful AI applications in veterinary science is AI-powered medical imaging, where deep learning models such as Convolutional Neural Networks (CNNs) have improved the detection of conditions including bovine respiratory disease, equine arthritis, and cardiovascular abnormalities in dogs. AI-assisted radiographic analysis, ultrasound imaging, and histopathological examinations have shown higher accuracy rates than conventional methods, leading to improved early-stage diagnosis and better treatment outcomes. Additionally, IoT-based monitoring devices equipped with AI-driven sensors facilitate continuous health tracking, allowing for real-time disease surveillance in livestock populations. These innovations contribute to better disease prevention strategies, reduced mortality rates, and enhanced productivity in the livestock industry (Arthi & Eswaramurthy, 2024; Dharamjit et al., 2024).

Beyond diagnostics, AI plays a crucial role in reducing veterinary workload and increasing operational efficiency. AI-driven chatbots and virtual assistants provide pet owners and farmers with preliminary disease assessments, decreasing unnecessary veterinary consultations and allowing clinicians to focus on complex cases. Furthermore, predictive analytics models analyze historical disease trends and environmental conditions to forecast potential outbreaks, supporting proactive disease control measures and improving veterinary epidemiology.

Despite these advancements, ethical and practical challenges remain. AI models can exhibit biases due to dataset limitations, potentially affecting diagnostic accuracy across different species and breeds. Additionally, concerns related to data privacy and cybersecurity arise as AI-driven monitoring systems collect large volumes of sensitive farm and pet health data. Another key consideration is the risk of over-reliance on AI in veterinary practice, as AI lacks the clinical judgment and decision-making expertise of human veterinarians. To mitigate these risks, AI should be implemented as a supportive tool rather than a replacement for veterinary professionals, ensuring that human oversight remains integral to medical decision-making.

The future of AI in veterinary medicine depends on improving algorithm transparency, expanding dataset diversity, and implementing robust data security measures. Continued research and technological advancements will be essential for making AI-driven disease detection systems more accessible, ethical, and efficient. With responsible adoption, AI has the potential to transform veterinary medicine by improving diagnostic accuracy, optimizing disease prevention strategies, and enhancing overall animal healthcare worldwide.

REFERENCES

- Alshammari, A. H., Oshiro, T., Ungkulpasvich, U., Yamaguchi, J., Morishita, M., Khdaif, S. A., Hatakeyama, H., Hirotsu, T., & di Luccio, E. (2025). Advancing Veterinary Oncology: Next-Generation Diagnostics for Early Cancer Detection and Clinical Implementation. *Animals* 15(3), 389. <https://doi.org/10.3390/ani15030389>
- AlZubi, A. A. (2024). Detection of disease in calves using artificial intelligence. *Indian Journal of Animal Research*, 58(12), 2138–2145. <https://doi.org/10.18805/IJAR.BF-1760>
- Arthi, M., & Eswaramurthy, V. P. (2024). A content based medical image retrieval with hybrid feature extraction and deep learning model for brain tumor classification. *Bulletin of Pure and Applied Sciences-Zoology*, 43B(2S), 8–26. <https://bpasjournals.com/zoology/index.php/journal/article/view/210>
- Ayyaswamy, K., Gobinath, V. M., Kathirvel, N., & Maheswaran, C. P. (2025). AI-based automated disease detection based on symptoms healthcare for pets and birds. *AI and the Revival of Big Data*, 311–345. <https://doi.org/10.4018/979-8-3693-8472-5.CH014>
- Baruah, D. K., & Boruah, K. (2024). Early Detection Of Canine Babesia From Red Blood Cell Images Using Deep Ensemble Learning. *Journal of Electronics, Electromedical Engineering, and Medical Informatics*, 6(4), 509–523. <https://doi.org/10.35882/jeeemi.v6i4.484>
- Biamonte, J., Wittek, P., Pancotti, N., Rebentrost, P., Wiebe, N., & Lloyd, S. (2017). Quantum machine learning. *Nature*, 549(7671), 195–202. <https://doi.org/10.1038/nature23474>
- Bouhali, O., Bensmail, H., Sheharyar, A., David, F., & Johnson, J. P. (2022). A Review of Radiomics and Artificial Intelligence and Their Application in Veterinary Diagnostic Imaging. *Veterinary Sciences*, 9(11), 620. <https://doi.org/10.3390/VETSCI9110620>
- Burić, M., & Ivašić-Kos, M. (2025). Next-generation computer vision in veterinary medicine: A study on canine ophthalmology. *IEEE Transactions on Artificial Intelligence*, 6(7), 1884–1893. <https://doi.org/10.1109/TAI.2025.3530380>
- Bushby, E. V., Thomas, M., Vázquez-Diosdado, J. A., Occhiuto, F., & Kaler, J. (2024). Early detection of bovine respiratory disease in pre-weaned dairy calves using sensor based feeding, movement, and social behavioural data. *Scientific Reports*, 14(1). <https://doi.org/10.1038/s41598-024-58206-4>
- Das, S., Roy, R. K., & Bezboruah, T. (2024). Machine Learning in Animal

- Healthcare: A Comprehensive Review. *International Journal of Recent Engineering Science*, 11(3), 89–93. <https://doi.org/10.14445/23497157/ijres-v11i3p109>
- Dharamjit, D., Sachi, S., & Kumar, S. (2024). Advanced image processing techniques for enhanced visual analysis: A experimental study. *Bulletin of Pure and Applied Sciences-Zoology*, 43B(1S), 1124–1134. <https://www.bpasjournals.com/zoology/index.php/journal/article/view/200>
- Ferrara, E. (2024). Fairness and bias in artificial intelligence: A brief survey of sources, impacts, and mitigation strategies. *Sci*, 6(1), 3. <https://doi.org/10.3390/sci6010003>
- Hennessey, E., DiFazio, M., Hennessey, R., & Cassel, N. (2022). Artificial intelligence in veterinary diagnostic imaging: A literature review. *Veterinary Radiology & Ultrasound*, 63(S1), 851–870. <https://doi.org/10.1111/vru.13163>
- Howard, A. G., Zhu, M., Chen, B., Kalenichenko, D., Wang, W., Weyand, T., Andreetto, M., & Adam, H. (2017). MobileNets: Efficient convolutional neural networks for mobile vision applications. <https://arxiv.org/abs/1704.04861>
- Irvin, J., Rajpurkar, P., Ko, M., Yu, Y., Ciurea-Illcus, S., Chute, C., Marklund, H., Haghighi, B., Ball, R., Shpanskaya, K., Seekins, J., Mong, D. A., Halabi, S. S., Sandberg, J. K., Jones, R., Larson, D. B., Langlotz, C. P., Patel, B. N., Lungren, M. P., & Ng, A. Y. (2019). CheXpert: A Large Chest Radiograph Dataset with Uncertainty Labels and Expert Comparison. *Proceedings of the AAAI Conference on Artificial Intelligence*, 33(01), 590–597. <https://doi.org/10.1609/AAAI.V33I01.3301590>
- Jeong, K., Kim, M., Cho, G., Oh, H., Jeong, J., Lee, Y., Seo, H., Yu, D., Bae, H., Hyun, S. H., Jeong, J. H., & Lee, E. (2024). A Two-stage AI Framework to Detect and Classify White Blood Cells for Supporting Diseases Diagnosis in Veterinary Medicine. *Proceedings - 2024 IEEE International Conference on Bioinformatics and Biomedicine, BIBM 2024*, 4436–4443. <https://doi.org/10.1109/BIBM62325.2024.10822218>
- Kalita, A. J., Subba, M., Adil, S., Wani, M. A., Beigh, Y. A., & Shafi, M. (2025). Application of artificial intelligence and machine learning in poultry disease detection and diagnosis: A review. *Letters in Animal Biology*, 5(1), 01–06. <https://doi.org/10.62310/liab.v5i1.155>
- Kaur, D., & Virk, A. K. (2025). Smart neck collar: IoT-based disease detection and health monitoring for dairy cows. *Discover Internet of Things*, 5(1), 1–19. <https://doi.org/10.1007/s43926-025-00109-5>
- Kittichai, V., Kaewthamasorn, M., Arnuphaprasert, A., Jomtarak, R., Naing, K. M., Tongloy, T., Chuwongin, S., & Boonsang, S. (2025). A deep contrastive learning-based image retrieval system for automatic detection of infectious cattle diseases. *Journal of Big Data*, 12, Article 2. <https://doi.org/10.1186/s40537-024-01057-7>
- Konečný, J., McMahan, H. B., Yu, F. X., Richtárik, P., Suresh, A. T., & Bacon, D. (2016). Federated learning: Strategies for improving communication efficiency. In *Proceedings of the NIPS Workshop on Private Multi-Party Machine Learning*. <https://arxiv.org/abs/1610.05492>
- Kumar, P., Luo, S., & Shaukat, K. (2023). A Comprehensive Review of Deep Learning Approaches for Animal Detection on Video Data. In *IJACSA International Journal of Advanced Computer Science and Applications* (Vol. 14, Issue 11). www.ijacsa.thesai.org
- Lalitha, S., & Yeturi, M. (2024). Deep Learning-Based Assessment of Canine Cardiomegaly via Vertebral Heart Scale Prediction.

- <https://www.researchgate.net/publication/386425172>
- LeCun, Y. (2022). *A path towards autonomous machine intelligence* (Version 0.9.2, June 27, 2022). OpenReview. <https://openreview.net/pdf?id=BZ5a1r-kVsf>
- LeCun, Y., Bottou, L., Bengio, Y., & Haffner, P. (1998). Gradient-based learning applied to document recognition. *Proceedings of the IEEE*, 86(11), 2278–2323. <https://doi.org/10.1109/5.726791>
- Lin, T.-Y., Goyal, P., Girshick, R., He, K., & Dollár, P. (2017). Focal loss for dense object detection. *Proceedings of the IEEE International Conference on Computer Vision*, 2980–2988. <https://doi.org/10.1109/ICCV.2017.324>
- Mbelwa, H., Machuve, D., & Mbelwa, J. (2021). Deep Convolutional Neural Network for Chicken Diseases Detection. In *IJACSA International Journal of Advanced Computer Science and Applications* (Vol. 12, Issue 2). www.ijacsa.thesai.org
- McDonald, E., Kehoe, E., Deines, D., McCarthy, M., Wright, B., & Huse, S. (2024). High-parameter immunophenotyping reveals distinct immune cell profiles in pruritic dogs and cats. *Frontiers in Veterinary Science*, 11, 1498964. <https://doi.org/10.3389/fvets.2024.1498964>
- Panda, R. A., Ramanan, S. V., Kawale, S. R., Srinivas, D., Junnarkar, A. A., & Behera, S. R. (2024). Smart sensors and IoT in studying animal morphology and developmental biology. *Bulletin of Pure and Applied Sciences-Zoology*, 43B(2S), 830–839. <https://bpasjournals.com/zoology/index.php/journal/article/view/298>
- Peravali Swapna, Geetha M, Nuthana Bellamkonda, & Rohan Remalli. (2025). Using AI and Machine Learning for Early Detection and Management of Cattle Diseases to Improve Livestock Health and Productivity. *International Research Journal of Education and Technology*. https://www.researchgate.net/publication/387866805_Using_AI_and_Machine_Learning_for_Early_Detection_and_Management_of_Cattle_Diseases_to_Improve_Livestock_Health_and_Productivity
- Prosser, H. M., Bortoluzzi, E. M., Valeris-Chacin, R. J., Baker, E. C., & Scott, M. A. (2025). Application of artificial intelligence and machine learning in bovine respiratory disease prevention, diagnosis, and classification. *American Journal of Veterinary Research*, 86(S1), S22–S26. <https://doi.org/10.2460/ajvr.24.10.0327>
- Rajpurkar, P., Chen, E., Banerjee, O., & Topol, E. J. (2022). AI in health and medicine. *Nature Medicine*, 28(1), 31–38. <https://doi.org/10.1038/s41591-021-01614-0>
- Rosenblatt, F. (1958). The perceptron: A probabilistic model for information storage and organization in the brain. *Psychological Review*, 65(6), 386–408. <https://doi.org/10.1037/H0042519>
- Russello, H., van der Tol, R., Holzhauer, M., van Henten, E. J., & Kootstra, G. (2024). Video-based automatic lameness detection of dairy cows using pose estimation and multiple locomotion traits. *Computers and Electronics in Agriculture*, 223, 109040. <https://doi.org/10.1016/J.COMPAG.2024.109040>
- Samuel, A. L. (1959). *Some Studies in Machine Learning Using the Game of Checkers*. <https://doi.org/10.1147/rd.33.0210>
- Senthilkumar, C., C. S., Vadivu, G., & Neethirajan, S. (2024). Early Detection of Lumpy Skin Disease in Cattle Using Deep Learning—A Comparative Analysis of Pretrained Models. *Veterinary Sciences*, 11(10). <https://doi.org/10.3390/vetsci11100510>
- Simonyan, K., & Zisserman, A. (2015). Very deep convolutional networks for large-scale image recognition. arXiv preprint

- arXiv:1409.1556.
<https://doi.org/10.48550/arXiv.1409.1556>
- Surekha, S., Balde, G. H., Sundarayya, P., Prabhakar, M. B., Saxena, P. S., & Bele, C. D. (2024). Mathematical modeling of chemical processes in animal physiology: A computational approach. *Bulletin of Pure and Applied Sciences-Zoology*, 43B(2S), 205–219. <https://bpasjournals.com/zoology/index.php/journal/article/view/211>
- Tene, O., & Polonetsky, J. (2013). Big data for all: Privacy and user control in the age of analytics. *Northwestern Journal of Technology and Intellectual Property*, 11(5), 239–273. <https://scholarlycommons.law.northwestern.edu/njtip/vol11/iss5/1>
- U.S. Department of Agriculture. (2023). Inventory of USDA artificial intelligence use cases. <https://www.usda.gov/about-usda/reports-and-data/data/usda-open-data-catalog/inventory-usda-artificial-intelligence-use-cases>
- Vaswani, A., Shazeer, N., Parmar, N., Uszkoreit, J., Jones, L., Gomez, A. N., Kaiser, Ł., & Polosukhin, I. (2017). Attention is all you need. *Advances in Neural Information Processing Systems*, 30.
- Xiao, S., Dhand, N. K., Wang, Z., Hu, K., Thomson, P. C., House, J., & Khatkar, M. S. (2025). Review of applications of deep learning in veterinary diagnostic and animal health. *Frontiers in Veterinary Science*, 12, 1511522. <https://doi.org/10.3389/FVETS.2025.1511522>